Author Index

Adelusi, S.A., Evaluation of the extraction of chloroquine from biological samples by different organic solvents, 173
Akbarieh, M. and Tawashi, R., Morphic features of solid particles after micronization in the fluid energy mill, 81
Alonso, M.J., see Henry-Michelland, S., 121
Adremont, A., see Henry-Michelland, S., 121
Atassi, G., see Dubois, J.G., 219

Becker, A.R., see Powell, M.F., 61
Beihn, R., see Sangekar, S., 187
Beijersbergen van Henegouwen, G.M.J., Van de Zijde, H.J., Van de Griend, J. and De Vries, H., Photochemical decomposition of diphenhydramine in water, 259
Benjamin, E.J., Firestone, B.A., Schneider, J.A. and Lin, L.H., Stabilization of the dipropionate ester of DHPG, 9-[(1,3-dihydroxy-2-propoxy)-methyl]guanine against enzymatic hydrolysis using complexation, 73
Benoit, J.P., see Dubernet, C., 145
Bodor, N., McCornack, J. and Brewster, M.E., Improved delivery through biological membranes. XXII. Synthesis and distribution of brain-selective estrogen delivery systems, 47
Bolhuis, G.K., see Vromans, H., 29
Bosch, H., see Vromans, H., 29
Brewster, M.E., see Bodor, N., 47
Buxeraud, J., see Jambut-Absil, A.C., 129

Carelli, V., Di Colo, G. and Nannipieri, E., Factors in zero-order release of clonidine hydrochloride from monolithic polydimethylsiloxane matrices, 21
Cavrini, V., see Di Pietra, A.M., 13
Chaudry, I., see Sangekar, S., 187
Couarraze, G., see Dubernet, C., 145
Couvreur, P., see Henry-Michelland, S., 121
Crommelin, D.J.A., see Jousma, H., 263

Davis, S.S., Khosla, R., Wilson, C.G. and Washington, N., Gastrointestinal transit of a controlled-release pellet formulation of tiaprofenic acid and the effect of food, 253
De Vries, H., see Beijersbergen van Henegouwen, G.M.J., 259
Di Colo, G., see Carelli, V., 21
Di Pietra, A.M., Cavrini, V. and Raggi, M.A., Determination of benzaldehyde traces in benzyl alcohol by liquid chromatography (HPLC) and derivative UV spectrophotometry, 13
Digenis, G., see Sangekar, S., 187
Dubernet, C., Benoit, J.P., Couarraze, G. and Duchêne, D., Microencapsulation of nitrofurantoin in poly(ϵ-caprolactone): tableting and in vitro release studies, 145
Dubois, J.G., Hanocq, M. and Atassi, G., Extraction and assay of daunorubicin and its metabolites from neoplastic tissue, 219
Duchêne, D., see Dubernet, C., 145

Firestone, B.A., see Benjamin, E.J.., 73
Furr, J.R., see Russell, A.D., 227

Hanocq, M., see Dubois, J.G., 219
Harrison, P.J., Newton, J.M. and Rowe, R.C., The application of capillary rheometry to the extrusion of wet powder masses, 235
Hashim, H. and Li Wan Po, A., Improving the release characteristics of water-soluble drugs from hydrophilic sustained release matrices by in situ gas generation, 201
Henry-Michelland, S., Alonso, M.J., Andremont, A., Maincen, P., Sauzières, J. and Couvreur, P., Attachment of antibiotics to nanoparticles: preparation, drug-release and antimicrobial activity in vitro, 121
Hirayama, F., Kurihara, M. and Uekama, K., Improvement of chemical instability of prostacyclin in aqueous solution by complexation with methylated cyclodextrins, 193

Ingani, H.M., Timmermans, J. and Moës, A.J., Conception and in vivo investigation of peroral sustained release floating dosage forms with enhanced gastrointestinal transit, 157
Inoue, M., see Kokubo, H., 181
Ishida, T., see Kokubo, H., 181

Jachowicz, R., Dissolution rates of partially water-soluble drugs from solid dispersion systems. I. Prednisolone, 1
Jachowicz, R., Dissolution rates of partially water-soluble drugs from solid dispersion systems. II. Phenytoin, 7
Jambut-Absil, A.C., Buxeraud, J., Lagorce, J.F. and Raby, C., Charge transfer complexes of drugs with iodine investigation by UV/visible spectroscopy, 129
Jeyanthi, R. and Pandurango Rao, K., Preparation of gelatin microspheres of bleomycin, 177
Johansen, M., see Larsen, C., 39
Joosten, J.G.H., see Jousma, H., 263
Jousma, H., Talsma, H., Spies, F., Joosten, J.G.H., Junginger, H.E. and Crommelin, D.J.A., Characterization of liposomes. The influence of extrusion of multilamellar vesicles through polycarbonate membranes on particle size, particle size distribution and number of bilayers, 263
Junginger, H.E., see Jousma, H., 263

Kearney, P. and Marriott, C., The effects of mucus glycoproteins on the bioavailability of tetracycline. II. Binding, 211

0378-5173/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Khosla, R., see Davis, S.S., 253
Koch, S.A.M. and Sloan, K.B., *N*-Mannich base derivatives of 5-fluorocytosine: a prodrug approach to improve topical delivery, 243
Kokubo, H., Morimoto, K., Ishida, T., Inoue, M. and Morisaka, K., Bioavailability and inhibitory effect for stress ulcer of cimetidine polymorphs in rats, 181
Kulvanich, P. and Stewart, P.J., Fundamental considerations in the measurement of adhesional forces between particles using the centrifuge method, 111
Kurihara, M., see Hirayama, F., 193

Lagorce, J.S., see Jambut-Absil, A.C., 129
Larsen, C. and Johansen, M., Macromolecular prodrugs IV. Kinetics of hydrolysis of metronidazole monosuccinate dextran ester conjugates in aqueous solution and in plasma — sequential release of metronidazole from the conjugates at physiological pH, 39
Lerk, C.F., see Vromans, H., 29
Li Wan Po, A., see Hashim, H., 201
Lin, L.H., see Benjamin, E.J., 73

Magill, A., see Powell, M.F., 61
Maincen, P., see Henry-Michelland, S., 121
Marriott, C., see Kearney, P., 211
McCornack, J., see Bodor, N., 47
McGinity, J.W., see Walkow, J.C., 91
McGinity, J.W., see Walkow, J.C., 103
Mitra, A.K. and Narurkar, M.M., Kinetics of azathioprine degradation in aqueous solution, 165
Morimoto, K., see Kokubo, H., 181
Morisaka, K., see Kokubo, H., 181
Moës, A.J., see Ingani, H.M., 157

Nannipieri, E., see Carelli, V., 21
Narurkar, M.M., see Mitra, A.K., 165
Newton, J.M., see Harrison, P.J., 235

Pandurango Rao, K., see Jeyanthi, R., 177
Paronen, T.P., see Vidgrén, M.T., 139
Parr, A., see Sangekar, S., 187
Powell, M.F., Magill, A. and Becker, A.R., Non-steroidal antipsoriatic prodrugs. Hydrolysis and aminolysis of naphtyl esters in aqueous solution, 61
Pugh, W.J., see Russell, A.D., 227

Raby, C., see Jambut-Absil, A.C., 129
Raggi, M.A., see Di Pietra, A.M., 13
Rowe, R.C., see Harrison, P.J., 235
Russell, A.D., Furr, J.R. and Pugh, W.J., Sequential loss of outer membrane lipopolysaccharide and sensitivity of *Escherichia coli* to antibacterial agents, 227

Sangekar, S., Vadino, W.A., Chaudry, I., Parr, A., Beihn, R. and Digenis, G., Evaluation of the effect of food and specific gravity of tablets on gastric retention time, 187
Sauzières, J., see Henry-Michelland, S., 121
Schneider, J.A., see Benjamin, E.J., 73
Sloan, K.B., see Koch, S.A.M., 243
Spies, F., see Jousma, H., 263
Stewart, P.J., see Kulvanich, P., 111

Talsma, H., see Jousma, H., 263
Tawashi, R., see Akbarieh, M., 81
Timmermans, J., see Ingani, H.M., 157

Uekama, K., see Hirayama, F., 193

Vadino, W.A., see Sangekar, S., 187
Van de Biggelaar, H., see Vromans, H., 29
Van de Griend, J., see Beijersbergen van Henegouwen, G.M.J., 259
Van de Zijde, H.J., see Beijersbergen van Henegouwen, G.M.J., 259
Vidgrén, M.T., Vidgrén, P.A. and Paronen, T.P., Comparison of physical and inhalation properties of spray-dried and mechanically micronized disodium cromoglycate, 139
Vidgrén, P.A., see Vidgrén, M.T., 139
Vromans, H., Bolhuis, G.K., Lerk, C.F., Van de Biggelaar, H. and Bosch, H., Studies on tableting properties of lactose. VII. The effect of variations in primary particle size and percentage of amorphous lactose in spray dried lactose products, 29

Walkow, J.C. and McGinity, J.W., The effect of physicochemical properties on the in vitro diffusion of drug through synthetic membranes and pigskin. I. Methyl salicylate, 91
Walkow, J.C. and McGinity, J.W., The effect of physicochemical properties on the in vitro diffusion of drug through synthetic membranes and pigskin. II. Salicylic acid, 103
Washington, N., see Davis, S.S., 253
Wilson, C.G., see Davis, S.S., 253